




Accessories

Lenses







| Lenses, C-mount | | | |
|---|---|--|--|
|  |  <p style="text-align: right;">153-13653</p> | <p>Part number / Article number</p> <p>Description</p> <p>Suitable for</p> | <p>LOC-08-HD-30.5x0.5 / 526-51535</p> <p>C-mount lens 8 mm focal length Aperture/focus: manual Filter thread: 30.5x0.5 Diameter: 32 mm Max. length: 36 mm Weight: 63 g</p> <p>VISOR® C-Mount</p> |
|  |  <p style="text-align: right;">153-13654</p> | <p>Part number / Article number</p> <p>Description</p> <p>Suitable for</p> | <p>LOC-12-HD-27x0.5 / 526-51536</p> <p>C-mount lens 12 mm focal length Aperture/focus: manual Filter thread: 27x0.5 Diameter: 29 mm Max. length: 44 mm Weight: 65 g</p> <p>VISOR® C-Mount</p> |
|  |  <p style="text-align: right;">153-13655</p> | <p>Part number / Article number</p> <p>Description</p> <p>Suitable for</p> | <p>LOC-16-HD-27x0.5 / 526-51537</p> <p>C-mount lens 16 mm focal length Aperture/focus: manual Filter thread: 27x0.5 Diameter: 29 mm Max. length: 29.5 mm Weight: 40 g</p> <p>VISOR® C-Mount</p> |
|  |  <p style="text-align: right;">153-13656</p> | <p>Part number / Article number</p> <p>Description</p> <p>Suitable for</p> | <p>LOC-25-HD-27x0.5 / 526-51538</p> <p>C-mount lens 25 mm focal length Aperture/focus: manual Filter thread: 27x0.5 Diameter: 29 mm Max. length: 32 mm Weight: 65 g</p> <p>VISOR® C-Mount</p> |
|  |  <p style="text-align: right;">153-13657</p> | <p>Part number / Article number</p> <p>Description</p> <p>Suitable for</p> | <p>LOC-35-HD-27x0.5 / 526-51539</p> <p>C-mount lens 35 mm focal length Aperture/focus: manual Filter thread: 27x0.5 Diameter: 29 mm Max. length: 39 mm Weight: 51 g</p> <p>VISOR® C-Mount</p> |
|  |  <p style="text-align: right;">153-13658</p> | <p>Part number / Article number</p> <p>Description</p> <p>Suitable for</p> | <p>LOC-50-HD-27x0.5 / 526-51540</p> <p>C-mount lens 50 mm focal length Aperture/focus: manual Filter thread: 27x0.5 Diameter: 29 mm Max. length: 56.5 mm Weight: 69 g</p> <p>VISOR® C-Mount</p> |

| Lenses, C-mount (Cont.) | | | |
|---|---|------------------------------|--|
|  |  | Part number / Article number | LOC-75-HD-34x0.5 / 526-51541 |
| | | Description | C-mount lens 75 mm focal length Aperture/focus: manual Filter thread: 34x0.5 Diameter: 36 mm Max. length: 75.5 mm Weight: 96 g |
| | | Suitable for | VISOR® C-Mount |






Accessories

Lenses

| Lenses, C-mount in robust design (robotics) | | | |
|---|---|-------------------------------------|--|
|  |  <p style="text-align: right;">153-13676</p> | <p>Part number / Article number</p> | <p>LOC-25-RU-25.5x0.5-F4.0 / 526-51546</p> |
| | | <p>Description</p> | <p>C-mount lens 25 mm focal length Focus: manual Aperture: F4.0 Filter thread: 25.5x0.5 Diameter: 28 mm Max. length: 35.6 mm Weight: 45 g</p> |
| | | <p>Suitable for</p> | <p>VISOR® C-Mount</p> |
|  |  <p style="text-align: right;">153-13677</p> | <p>Part number / Article number</p> | <p>LOC-35-RU-25.5x0.5-F4.0 / 526-51547</p> |
| | | <p>Description</p> | <p>C-mount lens 35 mm focal length Focus: manual Aperture: F4.0 Filter thread: 25.5x0.5 Diameter: 28 mm Max. length: 35.17 mm Weight: 45 g</p> |
| | | <p>Suitable for</p> | <p>VISOR® C-Mount</p> |
|  |  <p style="text-align: right;">153-13678</p> | <p>Part number / Article number</p> | <p>LOC-50-RU-25.5x0.5-F4.0 / 526-51548</p> |
| | | <p>Description</p> | <p>C-mount lens 50 mm focal length Focus: manual Aperture: F4.0 Filter thread: 25.5x0.5 Diameter: 28 mm Max. length: 45.3 mm Weight: 62 g</p> |
| | | <p>Suitable for</p> | <p>VISOR® C-Mount</p> |

Possible combinations of the robust C-mount lenses with the protective housings



| Accessories, lenses | | | | |
|---|-----------------|----------------|---|--|
|  | Part number | Article number | Description | |
| | LR 5 | 543-11011 | Intermediate ring 5 mm | |
| | ETS | 527-51143 | Intermediate ring set: 1 x 0,5 mm 1 x 10 mm 2 x 1 mm 1 x 20 mm 1 x 5 mm 1 x 40 mm | |
| | | | | |
|  | Part number | Article number | Description | |
| | LOF-PF-30.5x0.5 | 526-51531 | Polarizer filter; linear; for C-mount lenses, anti reflex, rotatable window with fixture, filter thread M30.5x0.5 | |
| | LOF-PF-27x0.5 | 526-51544 | Polarizer filter; linear; for C-mount lenses, anti reflex, rotatable window with fixture, filter thread M27x0.5 | |
| | LOF-PF-34x0.5 | 526-51545 | Polarizer filter; linear; for C-mount lenses, anti reflex, rotatable window with fixture, filter thread M34x0.5 | |
| | | | | |